


**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #37  
MODULAR STORAGE BINS (MEZZANINE)**

# MEZZANINE SYSTEMS by Stanley-Vidmar



**STANLEY**

# The modular, easy-to-install Mezzanine with the heart of a Stanley-Vidmar cabinet.

Stanley-Vidmar give you much capacity easily.


There's an easy way to save 75% of your space and get your tools, and maintenance items organized - physical control. Stanley-Vidmar Mezzanine System: A storage drawer at the heart of the system. Simple design lets full mezzanine with completely components mobility and of Stanley-modular storage cabinets is in mezzanine that are easy to use to virtually any size "building" design allows a number of variations, shape, size and

It all starts with the drawer.

When Stanley-Vidmar introduced drawer storage to American industry, it became possible to know an item's exact location, to be sure of the inventory level of maintenance parts or tools...because the drawer provides specific identifiable locations for every stored item...ready to meet demands for tooling of repair parts at a moment's notice.


The Stanley-Vidmar cabinet went on to show how much space is wasted in traditional storage applications. Space savings of 50% and 60% are common. And many Stanley-Vidmar cabinets still perform flawlessly after 20 years of heavy duty—up to 400 pounds per drawer—use

Mezzanines can help take advantage of wasted air space, but a Stanley-Vidmar Mezzanine can literally quadruple your storage capacity in storing tools and maintenance parts.



has four times the capacity - up to 75% of space  
PHYSICAL CONTROL  
Inventory  
changing conditions

- Storage Areas
- Tool cribs
- Maintenance Store Rooms
- Parts Departments
- Expansion
- Multi-location consolidations
- Maximum cube



## Planning

Stanley-Vidmar  
system is  
8 simple,  
modules. Other  
air cabinet  
extra wide and

the modules. With little more than a forklift and simple tools, you can have a Stanley-Vidmar Mezzanine up and running within days, not weeks. Plus, all Stanley-Vidmar cabinets already installed can be used as part of

# The anatomy of a Stanley-Vidmar Mezzanine System.

## Cabinet

Using pre-drilled holes, the upper cabinet is bolted securely to the floor below and along the sides to form a safe, super-structure.

Heavy duty grating is a walkway that drops in as easily as ceiling tiles. It allows light to pass through. Available in 36", 48" and 60" widths.

## Cabinet

The lower cabinet provides storage for tools, as well as overflow in-floor storage. Available with casters, or roll-out drawers.

## Walkway system\*


The walkway system to a Stanley-Vidmar Mezzanine is the walkway support system. It supports simply and safely each cabinet of the mezzanine level assuring support for the entire system.


## Stairs

The stairs bolt to the floor through pre-drilled holes in each step. Stairs are available in 36" and 48" widths and external or internal.

## Stanley-Vidmar

The Stanley-Vidmar Cabinet—strong and durable—forms the base of the system. Simply bolt one cabinet to another for fast installation.





# Stanley-Vidmar Mezzanine modules

The pre-engineered  
it's simple to  
mezzanine in any  
size with single,  
triple aisles  
almost any type  
of stairs.

With a configura-  
works today.  
As conditions  
expand it. As  
w, pick it up  
the compo-  
nents loaded—  
disrupting your  
Try that with  
onal mezzanine!

Call today. A call.

But how  
Stanley-Vidmar Mezzanine  
can help you save  
space, multiply capacity  
productivity,  
-345-3087.

Stanley-Vidmar can  
offer a full range of  
most-effective

Over 100  
Stanley-Vidmar Sales  
representatives  
are highly  
experienced profes-  
sionals with the skills, pro-  
ficiency, and  
experience, and  
a strong backing to  
provide storage pro-  
gramming  
innovative  
mezzanine  
systems.

**A Internal Stair Kit  
(AA—Cabinet Sup-  
ported Mezzanine):**  
Includes stairway, rail-  
ings, grating and  
hardware.

**B External Stair Kit  
(BB—Cabinet Sup-  
ported Mezzanine):**  
Includes stairway,  
grating and hardware.

**C External Stair Kit,  
End Access (CC—  
Cabinet Supported  
Mezzanine):** Includes  
stairway, railing, grating  
and hardware.

**D External Stair Kit,  
Side Access (DD—  
Cabinet Support  
Mezzanine):** Includes  
stairway, railing, grating  
and hardware.







**E Double Aisle  
Expansion Module  
(EE—Cabinet Sup-  
ported Mezzanine):**  
Includes grating, walk-  
way support system  
and hardware.


**F Double Aisle Pass  
Through Module:**  
Includes grating, walk-  
way support system  
and hardware.

**H Single Aisle  
Expansion Module  
(HH—Cabinet Sup-  
ported Mezzanine):**  
Includes grating, walk-  
way support system  
and hardware.


**Rail Kits (not  
shown):** Pre-  
engineered modular  
rail kits are available  
in 30" and 60" widths  
for cabinet width  
openings and 36", 42",  
and 48" for aisle  
ends.

**NOTE:** Actual railing  
application is determined  
by system configuration.








BB




D





DD







**Pass Through Modules:** Any configuration can be customized with pass-through modules that allow single or double cabinet width pass-throughs from aisle to aisle for both floor level and/or multi-level applications.




**Double Aisle Example**  
 One A Module  
 —Stairway  
 Three E Modules  
 —Expansion  
 One F Module  
 —Pass Through




**Single Aisle Example**  
 One C Module  
 —Stairway  
 Three G Modules  
 —Expansion  
 One D Module  
 —Stairway




**Cabinet Supported Mezzanines**—The mezzanine structure is supported by the cabinets. Mezzanine systems can also be designed with an elevated floor level as shown in these two examples.







ce Storeroom



Power Generating Facility



Maintenance Facility

**STANLEY**  
**Vidmar**

SOF Weapons Training Facility  
Fort Bragg, North Carolina

DACA21-03-R-0024


**LINE ITEM #38**  
**VAULT WEAPON MODULAR STORAGE SYSTEM (STAKK)**

# STAKK System, Stanley Vidmar


## Projected cost

- 16ft height x 4,000lb system \$140,000ea  
– 2 systems @ \$280,000 total
- 16ft height x 2,000lb system \$80,000ea  
– 2 systems @ \$160,000 total
- Installation approx. \$48,000
- Total approx. \$488,000
- (18ft height approx. \$20,000 per system- approx \$568,000)

# Weapons Vault Design (Draft)



132 feet



84 feet

SOF Weapons Training Facility  
Fort Bragg, North Carolina

DACA21-03-R-0024

**LINE ITEM #40  
LAMINAR FLOW BENCH**

**TECHNOVATION**

**BIO PLUS®**

ULTRA-HIGH PERFORMANCE  
CLEAN ROOM FILTRATION SYSTEMS

**Flow Bench**

[Home](#)

[Contact Us](#)

[Downloads](#)

[Filters](#)


[Cleanrooms](#)

[Hospital Systems](#)

[Flow Bench](#)

Up

Ultra High Performance  
**Laminar Flow Bench**



[Click for larger picture](#)

**Features:**

- ✦ Double HEPA filtration system- 99.999999% efficiency
- ✦ **BIO PLUS**® Bactericidal primary HEPA filter
- ✦ Low pressure drop
- ✦ Low turbulence design with perforated top and front cover
- ✦ High tech composite material

**Benefits:**

- ✦ Better than class 1 - virtually particle free
- ✦ No growth or shedding of bacteria with time
- ✦ Low noise/power ratio -lifetime terminal HEPA filter
- ✦ Inhibits entrainment of particles from outside -in use class 1 performance
- ✦ Clean high tech look in off-white color

**Base price: \$ 7000.00**

**Other Options:**

- ✦ Adjustable Front Cover
- ✦ Standard Perforated Polypropylene Top
- ✦ Perforated Stainless Steel Top
- ✦ Perforated Aluminum Top

**Specifications:**

Nominal Dimensions (Inches- Centimeters)

Model	A	B	C	D	E
VF-4	48 - 122	85 - 216	28 - 71	24 - 61	32 - 81
VF-6	72 - 183	85 - 216	28 - 71	24 - 61	32 - 81

	244	216			
--	-----	-----	--	--	--

**Electrical And Flow** All models are single phase 50/60 Hz. All units have 2 speeds of operation.

Model	Light # Wattage	Watts Fan	Option A* Fan V/A/A	Option B* Fan V/A/A	Flow Velocity FPM- M/S
VF-4	48 - 122	85 - 216	28 - 71	24 - 61	32 - 81
VF-6	72 - 183	85 - 216	28 - 71	24 - 61	32 - 81
VF-8	96 - 244	85 - 216	28 - 71	24 - 61	32 - 81

\*Volts/Normal Max amperage/ Recommended Circuit Breaker amperage. All units require 115 VAC for lights. For non US power requirements specify Option C.

[ [Main](#) ] [ [Contact Us](#) ] [ [Downloads](#) ] [ [Filters](#) ] [ [Clean Rooms](#) ]  
[ [Hospital Systems](#) ] [ [Flow Bench](#) ]

Please [Contact Us](#) with questions or comments about this web site.

Copyright © 2001 Technovation

Last modified: February 23, 2001

SOF Weapons Training Facility  
Fort Bragg, North Carolina

DACA21-03-R-0024

**LINE ITEM #41  
ENVIRONMENTAL CHAMBER**

Line #	Q T Y	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
41	1	Environmental Chamber	I. Shor International	Optics Shop/FSS	\$1,200	\$1,200.00	3' x 4' x 4'	

**LINE ITEM #42  
WELDING TABLE**

<u>Line #</u>	<u>QTY</u>	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
42	1	Welding Table	Weld Plus Inc	Welding Shop	\$800	\$800.00	4' x 16'	

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #43  
SAND BLASTER, CABINET**

# ProFormer™ Cabinets

## Hard Working, Simple to Hook Up, Easy to Move

Reclaimer, pressure vessel (pressure systems only) and dust collector are all contained in one, easily transportable unit.

Minihelic gauge shows the pressure differential across filtration surfaces, prompting the operator to pulse-clean dust-collector cartridges.



Kleensweep™ system directs airflow across the window for improved visibility.

Safety-glass window improves visibility and is easy to replace.

Safety switch prevents accidental blasting when doors are open; complies with OSHA requirements.


Simple, pneumatic controls are extremely reliable.

Multi-function filter prevents oil, water and particles from contaminating media.

Media-load station inside cabinet door (see back) simplifies replenishment of abrasives.

Fork-lift slots make the cabinet easy to move.

Movable, foot-treadle blast control permits easy access for forklift transport.



Empire ProFormer™ cabinets put it all together in a single assembly that's easy to move and simple to hook up. These cabinets require only two connections, air and electrical, and include features offered in our high-production Pro-Finish® line.

A tunable media reclaimer, capable of recycling a variety of abrasives, and cartridge-type dust collector, monitored by a minihelic gauge, are contained in the same enclosure as the cabinet, along with all electrical and pneumatic interconnections between components. Forklift slots are also provided, making this unit easy to move between work stations.

The dust collector filtration system is designed for easy maintenance. Filters can be pulse-cleaned with the press of a button. When filters have to be replaced, they can be changed quickly and cleanly with a twist

of two nuts. The filters slide into the cabinet where any loose dust falls into the cabinet, not onto the work floor.

Designed for production blasting, these versatile cabinets enable you to perform multiple tasks. You can clean orpeen and perform almost any finishing job in between by simply varying air pressure and blast media.

These rugged cabinets can be specified with either suction- or pressure-blast systems as well as a wide range of standard factory options. (For system specifications and available options, refer to the back page of this flyer.)

To find out more about how a ProFormer cabinet will simplify your finishing operations, call Empire or your local Empire distributor for a demonstration.

**Kehm Equipment, Inc.**

5415 W. 59<sup>th</sup> Ave., Unit F, Arvada, CO 80003  
 PH 303-422-6000 FAX 303-422-6023

**QUOTATION**

E-Mail: sales@kehm.com  
 http://www.kehm.com

DATE: May 3, 2001

**CUSTOMER:**

CPT Edward M. Lopacienski  
 HHD, S-3  
 SPT BN, 1SWTG (A), US Army  
 FT BRAGG, NC 28310

OUR REFERENCE: Q-062701-1

Phone: 910-432-1577/1078

Fax: 910-432-4445

<u>ITEM</u>	<u>QTY</u>	<u>DESCRIPTION</u>	<u>PRICE</u>
-------------	------------	--------------------	--------------

A	1	P/N 111023 - Pro-Former 3642 Pressure System. Includes:	
---	---	--	--

- o 36" deep x 42" wide 48" high #14 gauge cabinet
- o (2) 29" deep x 32" high double panel doors with OSHA interlock
- o Overall dimensions: 42" wide x 72" deep x 82" high
- o Anti-clog media load station located inside the right side door of the cabinet.
- o 600 CFM Compact reclaimer assembly
- o Cartridge dust collector, (SEM) 206 sq. ft. of media, 1 1/2 HP blower on clean air side.
  - o 5 Gallon waste collection drum under the collector.
  - o Mini-helic gauge located at the front of the cabinet to allow the operator to view the pressure drop across the filters.
  - o (2) Manual push buttons at the front of the cabinet for manual pulse jet cleaning of the filters.
  - o Cartridge filter access through the right side cabinet door.
- o Pressure blast system - 1 cubic foot pressure vessel with 1" pipe string
- o All components are attached and enclosed at the rear of the cabinet with (2) 36" x 82" access swing doors, (1) per side. Swing doors allow the operator to access the waste drum, pressure vessel, and reclaimer.
- o Electrical requirements: 230 volt, 60 hz, 1 phase

**\$8,600.00**

Page 2  
Quotation: Q-050301-5

- 1 P/N 139049 - Three Phase Electrical Upgrade:
- o 460 volt, 60 hz, 3 phase
  - o Single source with transformer (115 volt controls)
  - o N.E.C. Specification
- \$ 1,225.00

**PREVENTIVE MAINTENANCE PACKAGE**

To increase longevity and cost effectiveness by minimizing downtime, scheduled maintenance intervals, and repair parts/labor costs when using glass bead, aluminum oxide, silicon carbide, garnet #46 to 200, steel grit, #80 - 200, Steel Shot, S-70 or smaller.

P/N 510801 - Rubber Curtains for 3642 walls and door(s) (black)	\$ 470.00
P/N 510761 - Rubber Curtains for 3642 cabinet cone (black)	\$ 470.00
P/N 140640 - Front wall curtains for 3642	\$ 360.00
P/N 509191 - Plastic protector for window	\$ 12.00
P/N 509201 - Metal screen protector for window	\$ 27.00
P/N 501282 - 3/16" Di-carb (Tungsten) pressure nozzle	\$ 67.00
P/N 502032 - 3/16" Boron Carbide pressure nozzle	\$ 125.00
P/N 290184 - Boron carbide exhaust valve restrictor	\$ 157.00
P/N 140338 - Heavy Duty 4" conveying hose upgrade	\$ 260.00

Page 3  
 Quotation: Q-050301-5

P/N 525861 - Reclaimer urethane internal coating - 600 CFM	\$ 860.00
P/N 526183 - Reclaimer Ultrawear internal lining - 600 CFM	\$ 1,540.00

MEDIA CONTROL AND CONDITIONING OPTIONS

1 P/N 140601 - Magnetic Reclaim Separator	\$ 495.00
1 P/N 140335 - Vibrating Reclaimer Screen for fine/light weight media	\$ 475.00

CABINET OPTIONS:

19Ft P/N 509002 - Safety Floor Mat for (3) sides of Pro-Former	\$ 398.00
o Prevents injury by worker slipping on spherical media	
o Reduces operator fatigue, prevents static buildup	
1 P/N 510411 - Static strap for wrist	\$ 66.00
1 P/N 140864 - System Security Keylock* to prevent unauthorized use	\$ 167.00

PRESSURE SYSTEM OPTIONS:

1 P/N 140511 - Remote Fine Tuning	\$ 675.00
1 P/N 140509 - Remote Fine Tuning with Remote Choke	\$ 750.00
o Grit mixture adjustment from operator position	

Dust Collector	WhirlWind Model 2000	WhirlWind Model 3000	WhirlWind Model 5000
Power	2 HP	3 HP	5 HP
Capacity (number of stations)	2-4 hoods	3-5 hoods	4-6 hoods
Suction	800 cfm	1200 cfm	1600 cfm
Input Power	15 Amps., 120/240 V, 1 phase, 120V breaker	13.5 Amps., 240 V, 1 phase, 240V breaker	20 Amps., 240 V, 1 phase, 240V breaker
Suction Tube Diameter	3 inches, 4 inlets each side (total 8 inlets)	3 inches, 4 inlets each side (total 8 inlets)	3 inches, 4 inlets each side (total 8 inlets)
Dimensions	25" x 25" x 58" height (including silencer tubes)	25" x 25" x 58" height (including silencer tubes)	25" x 25" x 58" height (including silencer tubes)
Weight	360 lbs.	370 lbs.	395 lbs.
Price	\$2650 F.O.B. Factory	\$3050 F.O.B. Factory	\$3500 F.O.B. Factory



## SHOR INTERNATIONAL CORPORATION

*Fine Tools, Equipment and Innovative Products Since 1918*

20 PARKWAY WEST, MT. VERNON, N.Y. 10552

PHONE (914) 667-1100 FAX (914) 667-0190

E-MAIL: [SHORINTERNATIONAL@ATTGLOBAL.NET](mailto:SHORINTERNATIONAL@ATTGLOBAL.NET)

(PLEASE NOTE THAT SHOR CANADA IS IN NO MANNER AFFILIATED WITH THE I. SHOR COMPANY AND HAS BEEN ORDERED BY FEDERAL COURT TO ABANDON ALL USE OF THE SHOR NAME BY THE END OF 2002.)

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #44  
DUST COLLECTOR**

- o Choke feature allows for fast convenient media changeover

Page 4

Quotation: Q-050301-5

**DUST COLLECTION OPTIONS:**

- 1 P/N 501002 - Silencer/Sound Attenuator for exhaust of SEM collector. \$ 425.00

**Blast Air Requirements:**  
38 SCFM clean dry air at 80 PSI  
using ONE new 3/16" nozzle.

**Electrical Requirements:**  
230 volt, 60 hz, single phase  
N.E.C. (\*Non-NFPA-79/CSA).



# SHOR INTERNATIONAL CORPORATION

*Fine Tools & Innovative Machines Since 1918*

20 Parkway West, Mt. Vernon N.Y. 10552 (914) 667-

fax: (914) 667-0190

e-mail: [shorinternational@attglobal.net](mailto:shorinternational@attglobal.net)

[About Shor](#)

[On Sale](#)

[To Place an Order](#)

[Contents & Search Page-](#)


[Find Over 20,000 Pro](#)

## Dust Collectors

There are many ways to finish jewelry. Different procedures and equipment result in different finishes, different operational costs, different finishing times, different gold loss factors etc. It is important to get an overall view of the different possibilities and, wherever practical, to experiment with different procedures. For a good perspective, see Shor's web page "[Recommended Grinding & Polishing Procedures](#)". For refining of polishing dust, see the Shor web page on the [Simplicity Refining System](#).



[Back to Polishing Gateway](#)



[Back to: Refining](#)

[Back to:](#)



[Testing Gateway](#)

Related Web Page: [Dust Collector Bags](#)

## Shor's Revolutionary New Dust Collection Systems

These dust collection systems are so quiet and so compact, we guarantee that you'll find them hard to believe even when you see them in action.

In the early 1950's, Shor introduced a new type of dust collection system to the jewelry industry. These dust collectors used bags (instead of water) to collect dust. If the water type dust collection systems are not familiar to you, it's because our systems made them obsolete 40 years ago. Today, virtually every major dust collection system in the world is modeled after the original Shor design.


And now Shor is offering the first major new design in dust collection in over 40 years.

Polishing dust on average, contains about one ounce of fine gold per pound of dust (if you're not getting that much gold back from your refiner, it's probably not because the gold isn't there before your refiner holds it). No shop can afford to lose this valuable material into the air (and on the walls and floors and tables and into your lungs). The standard bench model dust collection systems lose up to 65% of the polishing dust (and gold) it's supposed to collect. Shor has affordable, efficient dust collection systems for

every sized shop, from one man shops to hundred man shops.

## The Shor Whirlwind Junior Dust Collector

- **Stealth Technology-** Whisper quiet. Makes no more noise than a small room fan.
- **Powerful-** Utilizes a 1 horsepower turbine (dust collectors that are many times its physical size use only a 1/2 hp blower motor)
- **Efficient-** A white handkerchief placed on the exhaust will remain a white handkerchief.
- **Virtually No Maintenance-** Just change one bag (\$8) once every 1-2 months. Bag changing takes about 30-60 seconds.
- **Vortex Technology-** Includes Shor Vortex with unit.
- **Includes All Fittings-** T connection, hoses, clamps etc. for connecting to your hoods.



The Whirlwind Junior Dust Collector really has to be seen to be believed. With its 1 horsepower turbine, this little baby has more suction power than the large, noisy 3/4 horse power blower type dust collectors without any of the noise or space. It's so whisper quiet that you don't have to raise your voice at all when talking right next to one.

The Shor Whirlwind Junior Dust Collector is perfect for the retail environment or wherever space and noise are factors. In addition, it's less expensive to purchase and maintain than conventional dust collectors. All this plus suction power that is fully equal to conventional 1/2 horsepower dust collectors.

The WhirlWind Junior is so efficient that you can place a white handkerchief on its exhaust and it will remain a white handkerchief.

If you presently have a bench type dust collector, we don't have to tell you that you are living with a dirty shop. The Shor WhirlWind Junior dust collector is the solution.

**Shor WhirlWind Junior Dust Collector (2 polishing stations): Price-\$945**

When order the WW Jr., please specify whether it is to be used with jewelers bench hoods or standard polishing hoods. The hoses and fittings are different.

**Replacement Filter Bags (5 pack) for WhirlWind Junior: Price- \$44.95**

The WW Jr. requires only 1 bag. This bag is usually replaced about once a month, depending upon use.

Instructions for WhirlWind Junior

Instructions for Vortex

## Large Shor Dust Collectors

Please note that although not pictured here with Vortexes, all dust collectors, including the very largest,


should have Vortexes, in line, between the hoods and the dust collector. Each Vortex will handle 2 polishing hoods.

**The Shor Vortex.** Improved efficiency for your bag or cartridge type dust collector. This little device, put in-line between your hoods and your dust collector, removes 90-95% of all dust before it reaches your dust collector (with no reduction in suction). The result is:

- Recover lost stones and rings in seconds.
- Keeps grindings separate from dust even when using the same dust collector.
- Dust Collector maintenance is reduced by 10 times. Shaking your bags once a day? With the Vortex, shake them once every 2 weeks. Vacuuming your bags once a week? With the Vortex, vacuum them once every 3 months.
- Dust Collector bag life is increased by 10 times. Replacing your bags once a year? With the Vortex, replace them once every 10 years.

**About the Shor WhirlWind Dust Collectors, Models 2000, 3000 and 5000:** These units have many standard features which are either unavailable in competitive dust collectors or only available as expensive add-ons:

- Paper filter cartridge. Easier recovery of gold when cartridge needs to be replaced. Filters are much less expensive than cloth filter bags and much easier to replace.
- Filters dust down to 0.5 micron (microscopic). No other dust collector even comes close.
- Laminar flow air inlets that hold large pieces of metal in the collection drawer without disturbing the filter.
- Dust Jail Plates to maintain more dust in the collection drawer and less on the filter.
- Multiple prefiltration system that keeps the filter clean longer. The prefiltration system includes 120 micron size stainless steel wire cloth lint prefilter and a wrap around washable polyurethane prefilter.
- Air inlets on both sides of the dust collector to allow more flexibility in shop arrangements.
- The motor is mounted on fully vibration isolating rubber mounts for low noise levels.
- Silencer is built in.
- Motor warranted for 3 years.
- High suction, low muffled noise levels.
- Can be rolled on built in casters for easy cleaning.
- Built in hour counter. Very useful for determining when to clean or replace the filter.
- High capacity contractor switch built in.
- Expected equipment life- 20+ years.




should have Vortexes, in line, between the hoods and the dust collector. Each Vortex will handle 2 polishing hoods.

**The Shor Vortex-** Improved efficiency for your bag or cartridge type dust collector. This little device, put in-line between your hoods and your dust collector, removes 90-95% of all dust before it reaches your dust collector (with no reduction in suction). The result is:



- Recover lost stones and rings in seconds.
- Keeps grindings separate from dust even when using the same dust collector.
- Dust Collector maintenance is reduced by 10 times. Shaking your bags once a day? With the Vortex, shake them once every 2 weeks. Vacuuming your bags once a week? With the Vortex, vacuum them once every 3 months.
- Dust Collector bag life is increased by 10 times. Replacing your bags once a year? With the Vortex, replace them once every 10 years.

**About the Shor WhirlWind Dust Collectors, Models 2000, 3000 and 5000:** These units have many standard features which are either unavailable in competitive dust collectors or only available as expensive add-ons:



- Paper filter cartridge. Easier recovery of gold when cartridge needs to be replaced. Filters are much less expensive than cloth filter bags and much easier to replace.
- Filters dust down to 0.5 micron (microscopic). No other dust collector even comes close.
- Laminar flow air inlets that hold large pieces of metal in the collection drawer without disturbing the filter.
- Dust Jail Plates to maintain more dust in the collection drawer and less on the filter.
- Multiple prefiltration system that keeps the filter clean longer. The prefiltration system includes 120 micron size stainless steel wire cloth lint prefilter and a wrap around washable polyurethane prefilter.
- Air inlets on both sides of the dust collector to allow more flexibility in shop arrangements.
- The motor is mounted on fully vibration isolating rubber mounts for low noise levels.
- Silencer is built in.
- Motor warranted for 3 years.
- High suction, low muffled noise levels.
- Can be rolled on built in casters for easy cleaning.
- Built in hour counter. Very useful for determining when to clean or replace the filter.
- High capacity contractor switch built in.
- Expected equipment life- 20+ years.

Dust Collector	WhirlWind Model 2000	WhirlWind Model 3000	WhirlWind Model 5000
Power	2 HP	3 HP	5 HP
Capacity (number of stations)	2-4 hoods	3-5 hoods	4-6 hoods
Flow	800 cfm	1200 cfm	1600 cfm
Input Power	15 Amps., 120/240 V, 1 phase, 120V breaker	13.5 Amps., 240 V, 1 phase, 240V breaker	20 Amps., 240 V, 1 phase, 240V breaker
Connection Tube Diameter	3 inches, 4 inlets each side (total 8 inlets)	3 inches, 4 inlets each side (total 8 inlets)	3 inches, 4 inlets each side (total 8 inlets)
Dimensions	25" x 25" x 58" height (including silencer tubes)	25" x 25" x 58" height (including silencer tubes)	25" x 25" x 58" height (including silencer tubes)
Weight	360 lbs.	370 lbs.	395 lbs.
Price	\$2650 F.O.B. Factory	\$3050 F.O.B. Factory	\$3500 F.O.B. Factory



# SHOR INTERNATIONAL CORPORATION

*Fine Tools, Equipment and Innovative Products Since 1918*  
 20 PARKWAY WEST, MT. VERNON, N.Y. 10552  
 PHONE (914) 667-1100 FAX (914) 667-0190

E-MAIL: SHORINTERNATIONAL@ATTGLOBAL.NET

(PLEASE NOTE THAT I SHOR CANADA IS IN NO MANNER AFFILIATED WITH THE L. SHOR COMPANY AND HAS BEEN ORDERED BY FEDERAL COURT TO ABANDON ALL USE OF THE SHOR NAME BY THE END OF 2002.)

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #47  
HVY WORK TABLE**

<u>Line #</u>	<u>Q T Y</u>	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
47	30	Hvy work table	A Plus Material Handling	Facility	\$424.06	\$12,721.80	96" x 48"	Mod. H193-X2

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #48  
LT WORK TABLE**

<u>Line #</u>	<u>Q T Y</u>	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
48	66	Lt work table	A Plus Material Handling	Facility	\$167.98	\$11,086.68	48" x 36"	Mod. H700-S-436

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #49  
GENERAL CABINET**

<u>Line #</u>	<u>Q T Y</u>	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
49	16	General cabinet	Fed Log, Grainger Inc	Maint.	\$250.00	\$4,000.00	5' x 2' x 6'	Grainger.com

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #50  
BOOK CASE**

Line #	Q T Y	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
50	14	Book Case	Fed Log, Grainger Inc	Offices, Maint.	\$200.00	\$4,000.00	4' x 18" x 6'	Grainger.com

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**


**DACA21-03-R-0024**

**LINE ITEM #51  
METAL STORAGE CONTAINER**

## Item Details

Product Category: Material Handling > Shelving & Storage > Storage Containers

**Description**  
 Large, Plastic Collapsible Container, 1500 pound Capacity, 28.4 cubic feet Volume, 48 inches x 40 inches  
**Your Price:** \$232.88      **Ship:** Special Order  
**Unit of Measure:** 1  
**Granger Item#:** 4TF40  
**Manufacturer:** CONTICO  
**Mfg. Model#:** 6G40332SBSS  
**Catalog Page:** 2207



Qty.

Price shown may not reflect your price. Log-in above, or click here to register.

### NOTES & RESTRICTIONS

Need Repair Parts? Granger Parts Modification & Service available contact your local branch.

TECHNICAL SPECIFICATIONS	
Capacity:	1500
External Dimensions:	48 x 40
External Height:	33
Volume:	28.4
Internal Height:	28
Internal Dimensions:	45 x 37

User Name

Enter your user name and password here.

User Name

Enter your user name and password here.

[Forgot your password?](#)

[Not registered yet?](#)

[Need help registering?](#)

[View Suggested Lists](#)

Product Category: Material Handling > Shelving & Storage > Storage Containers

## Item Details

**Description**  
Black Lid for Large, Plastic Collapsible Container, 40 Inches x 48 Inches x 2 Inches

**Your Price:** \$67.28      **Ship:** Special Order  
**Unit of Measure:** 1  
**Grainger Item#:** 4TF39  
**Manufacturer:** CONTICO  
**Mfg. Model#:** 6SFL4840  
**Catalog Page:** 2207


Select  Qty.

[ADD TO ORDER](#)

Price shown may not reflect your price. Log-in above, or click here to register.

### NOTES & RESTRICTIONS

Need Repair Parts? Grainger Parts Modification & Service available contact your local branch.



### TECHNICAL SPECIFICATIONS

**Dimensions:**  
40 x 48 x 2

**Color:**  
Black

[Back](#)



search

- Keywords
- Grainger Item #
- Manufacturer
- Advanced Search

Log In

Order Form

(Browse Products)



User Name

Enter your user name and password here.



## Item Details

Product Category: Material Handling > Storage > Bins and Boxes

[Back](#)

### Description

Large, Plastic Collapsible Container, 1500 pound Capacity, 28.4 cubic feet Volume, 48 inches x 40 inches

Your Price: \$249.25 Ship: Special Order

Unit of 1


Measure:

Grainger Item#: 4TF40

Manufacturer: CONTICO

Mfg. Model#: 6G40332SBSS

Catalog Page: 2100



### FEATURED PRODUCTS:



**Transfer Tank, 105 Gallon Capacity, L Shape, Steel**

Manufacturer: JOBOX  
 Grainger Item#: 1RD40  
 Ship: Special Order  
 Your Price: \$469.00

Qty:

ADD TO ORDER

Select.  Qty.

ADD TO ORDER

Price shown may not reflect your price. Log-in above, or click here to register.

### NOTES & RESTRICTIONS

Modification & Service available contact your local branch. See Catalog Page for application and/or safety information.

### TECHNICAL SPECIFICATIONS

Capacity:	1500
External Dimensions:	48 x 40
External Height:	33
Volume:	28.4
Internal Height:	28
Internal Dimensions:	45 x 37

---

[Terms of Access](#) | [Terms of Purchase](#) | [Privacy Policy \(Rev:8/16/2001\)](#)  
[Home](#) | [Find A Branch](#) | [Help](#) | [Contact Us](#) | [Services](#) | [Resources](#) | [Company Info](#)  
© 1994 - 2002 W.W. Grainger, Inc. All rights reserved.



search

Keywords Grainger Item # Manufacturer Advanced Search

Log In

User Name

Enter your user name and password here.

Order Form (Browse Products)


# Item Details

Product Category: Material Handling > Storage > Bins and Boxes

## Description

Black Lid for Large, Plastic Collapsible Container, 40 inches x 48 inches x 2 inches

Your Price: \$67.28 Ship: Special Order  
Unit of Measure: 1  
Grainger Item#: 4TF39  
Manufacturer: CONTICO  
Mfg. Model#: 6SFL4840  
Catalog Page: 2100



Transfer Tank, 105 Gallon Capacity, L Shape, Steel

Manufacturer: JOBOX  
Grainger Item#: 1RD40  
Ship: Special Order  
Your Price: \$469.00

ADD TO ORDER

Select Qty.

ADD TO ORDER

Price shown may not reflect your price. Log-in above, or click here to register.

## NOTES & RESTRICTIONS

Modification & Service available contact your local branch.

See Catalog Page for application and/or safety information.

## TECHNICAL SPECIFICATIONS

Dimensions: 40 x 48 x 2

Color: Black

Terms of Access | Terms of Purchase | Privacy Policy (Rev:8/16/2001)  
Home | Find A Branch | Help | Contact Us | Services | Resources | Company Info  
© 1994 - 2002 W.W. Grainger, Inc. All rights reserved.


**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #52  
WELDING TABLE**

**Weld Plus Inc.**

# Welding Turntables and Robotic Indexing Tables




**Robotic Indexing Tables, Welding Turntables, Robot Positioners, Motoman, Cybo, Osalator**

---

## ROBOTIC TURNTABLES and POSITIONERS

1 ea RP012001 Fabspec GDI-500, Two Station Indexing ,Tilt-Rotate Robotic Positioner. Capacity 500 lbs per Table @ 6" C.G. Tilt, 6" C.G. Eccentricity of Rotation. 180 Degree Sweep in 5 sec. With .002 Repeatability. Two 24" dia. Tables. Rotation Speed 11 RPM w/8 Positions w/ .0002 Repeatability per inch of Radius. Tables Tilt 135 Degrees w/4 Positions. Can

**Search Online**



[Click to Enlarge](#)

Product #: [TT005002](#)  
Product Title: [Auto-Quip 1000lb Scissors Lift Turn Table TT005002](#)

Description:  
TT005002 Auto-Quip 1000 lb Scissors Lift Turn Table. Model 24B3E30-EX, 1997. Electric Lift, 115 V. 84" Diameter, Manual Rotating Table, Machine Mounted on 5" Non-Marring Casters w/Locks. Heavy Duty Unit in "New" Condition

Please [Click here](#) if you have a question or need a price of this product? [Click Here to Go Back to Products Page.](#)

.....  
Weld Plus Inc. 4766 River Road. Cincinnati, Ohio 45233  
1.800.288.9414 Toll Free 1.513.941.4411 Phone 1.513.467.3585 Fax  
[sales@weldplus.com](mailto:sales@weldplus.com)

Copyright © 1996-2001 Weld Plus Inc.

# WELD PLUS

Home About Weld Plus Inventory Links Search Web Site Contact Feature Items Vendor Links

Search Online



Product #: [TT005002](#)  
Product Title: Auto-Quip 1000lb Scissors Lift Turn Table TT005002

Description:  
TT005002 Auto-Quip 1000 lb Scissors Lift Turn Table. Model 24B3E30-EX, 1997. Electric Lift, 115 V. 84" Diameter, Manual Rotating Table, Machine Mounted on 5" Non-Marring Casters w/Locks. Heavy Duty Unit in "New" Condition

[Click to Enlarge](#)

Please [Click here](#) if you have a question or need a price of this product? [Click Here to Go Back to Products Page.](#)

.....  
Weld Plus Inc. 4790 River Road. Cincinnati, Ohio 45233  
1.800.288.9414 Toll Free 1.513.941.4411 Phone 1.513.467.3585 Fax  
[sales@weldplus.com](mailto:sales@weldplus.com)

Copyright © 1996-2001 Weld Plus Inc.

SOF Weapons Training Facility  
Fort Bragg, North Carolina

DACA21-03-R-0024

**LINE ITEM #53 – LINE ITEM #55  
STORAGE RACK**

<u>Q</u>	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est. Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
T	3 Storage Rack	Hyster	Maint.	\$641.03	\$1,923.09	96" x 96" x 48"	H 6939, 4 level
Y	3 Storage Rack	Hyster	Maint.	\$188.70	\$567.00	22" x 22" x 84"	HHSR-2284, 9 level, 2400lbs cap.
	3 Storage Rack	Hyster	Maint.	\$63.99	\$192.00	40" x 40"	H13-HSR, 500lbs/opening (36)

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #60  
CABINET, FIREPROOF**


<u>Line #</u>	<u>QTY</u>	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
60	1	Cabinet, fireproof	A Plus Material Handling	Welding Shop	\$710.00	\$710.00	31 1/4" x 31 1/4" x 65"	XD 5038, 2 shelf

SOF Weapons Training Facility  
Fort Bragg, North Carolina

DACA21-03-R-0024

**LINE ITEM #61**  
**MASTER MECHANIC TOOLKIT**

Master Mechanic's Tool Kit



GSA has the heavy duty equipment you need for your next project including mitering saws, table saws, sanders and drills. See Schedule 51 IB for more details.

Kit is IAW Department Of Army Supply Catalog SC 5180-95-N05. Kit contains the following types of items; pry bar, hand hacksaw blades and frame, mounting bracket, scratch wire brush, hand cold chisels, hand rivet buster chisel, spring tension clip, socket wrench extension, screw extractor set, hand file (Swiss & American pattern) contact-point flat, half, round regular, with wood handle, mechanical finger, gap setting gage, thickness gage, hand hammers, socket wrench handle, socket head screw key set, pocket knife, putty knife, retaining ring pliers set, diagonal cutting pliers, retaining ring pliers, slip joint pliers, aligning punch, solid center punch, drive pin punch, magnetic retrieving tool, tools and accessories rolls, machinist's steel rule, cross tip & standard and offset screwdriver set, flat tip screwdriver, offset screwdriver, screwdriver socket wrench attachments, socket wrench sets, stud remover and setter, 2m measuring tape, portable tool boxes, box wrench set, box and open-end combination wrench set, open-end (double-head) wrench set, attachment universal joint, adjustable auto wrench, adjustable open-end wrench, adjustable wrench, open-end box wrench, box (double-head) wrench, open-end tappet wrench, open-end wrench, pipe (heavy-duty adjustable) wrench and curved and straight jaw "vise grip" type pliers.

Master Mechanic's Tool Kit includes the following:

Qty	Kit Component	Replacemnt IISN
10	12" hacksaw blade, 24 tpi	5110-01-304-8706
2	10-3/8" socket rail	5340-00-124-5271
1	16-3/4" socket rail	5340-00-124-5272
1	14" wire brush	7920-00-291-5815
1	1/4" cape hand chisel	5110-00-554-7345
1	3/4" cold hand chisel	5110-00-236-3272
1	1/4" drive socket wrench extension, 6" overall length	5120-00-243-7325
Screw extractor set contains:		
1	8" flat hand file	5110-00-234-6534
1	20" half round hand file	5110-00-234-6535
1	10" round hand file	5110-00-234-6555
1	6" Swiss hand file	5110-00-595-8235
1	Hand hacksaw frame for 12" blade	5110-01-304-0782
1	Gap setting gage, 0.002 through 0.025"	5210-00-031-1504
1	Thickness gage, 0.0015 through 0.025"	5210-00-221-1999
1	16-oz ball peen hammer	5120-01-070-4542
1	32-oz ball peen hammer	5120-01-070-4541
1	19-oz dead blow hammer	5120-01-071-5555
1	32-oz dead blow hammer	5120-01-065-9037
1	Handle for 5/16" flat file	5110-00-234-6534
1	1/2" drive socket wrench handle	5120-01-323-0968
1	1-piece hex key set	5110-00-234-6534

continued on next page

### Engineer's Tool Kit

This kit provides the necessary components and hand tools required for its intended use by Army combat engineers. The kit includes the following items and is LAW Army Supply Catalog SC 5180-90-N12.


Kit for Army engineer squad includes; single-bit ax and sheath, hacksaw blade and frame, pioneer tool kit chests, crowbar, wire rope cutter, hinged posthole digger, files, trip wires, grapnel, hammer, wood file handle, wood hammer handle, mattock pick and single-bit ax handles, machete with rigid handle and sheath, marline, mattock (without handle), fibrous cord, saw, shovels, textile cord, tape, trowels, timber wedge and vise grip pliers.

### Highway Safety Tool Kit

This Highway Safety Tool Kit contains essential highway safety items in a slim plastic storage box. The tool kit is designed to fit in car trunks, under van and utility vehicle seats, and behind the seat of most pickup trucks.


Highway safety tool kit consists of the following components: 1 Thermal reflective blanket; 1 - 12 ft. Battery booster cable; 1 Utility cutter; 1 D-cell size flashlight; 1 pair cotton gloves; 2 Yellow chemical light sticks; 1 Inflatable pillow; 1 - 8" Slip joint pliers; 2 Highway warning reflectors; 1 Phillips and Flat-tip screwdriver.

### Home Improvement Tool Kit




This Home Improvement tool kit is designed for minor home repair. Kit consists of 42 tools assembled in a portable step stool-type toolbox. Components include: flashlight, flat-tip and Phillips screwdrivers, 10-piece nut driver set, plunger, industrial goggles, 16-oz hammer, 10-piece socket head screw key set, Craftsman's knife, putty knife, level and plumb, mechanical finger, needle-nose pliers, 2 slip-joint pliers, nest saw set, glass scraper razor blade, antiseizing tape, measuring tape, toilet plunger, electrical insulation tape, open-ended adjustable wrench and plier wrench.

### Mason and Concrete Finisher's Tool Kit



Kit includes whitewash brushes; caulking tools; brick chisel; concrete corner tool; concrete edger; mortar floats; concrete hand groovers; hammers; mortar float handles; mortar mixing hoe; putty knife; level and plumbs; line blocks; plumb bobs; asphalt rake; wood rules; measuring tapes; trowels and circular tapered end handles. Comes with a tool chest. Dept. of the Army Supply Catalog SC 5180-90-CL-N14.

### Removal Tool Kit




Specifically for removing electrical contacts. Consists of four interchangeable steel removers with threaded ends for attaching to separate aluminum handle. Removers store in handle when not in use. For sizes 16 and 20 contacts in pygmy CE-series connectors.

### Sheet Metalworker's Tool Kit

Kit contains the following metal working tools. Scratch awl, hand hacksaw blade, dolly sheet metal working block, acid swabbing brush, wire scratch brush, sheet metal chest, cold hand chisels, plier clamp, mechanics' divider, lb. brazing flux, hand hacksaw frame, sheet metal gauge, sheet metal groover, 8- & 16-oz. hammer, tinners' setting (pancing) hammer, round nose pliers, diagonal cutting pliers, slip joint pliers, semicircular protractor, metal cutting punch and die set, hand rivet set, solid rivet, blind riveter, circumference rule, machinists' steel rule, sheet metal seamer, metal cutting shears, soldering iron, T-square, measuring tape, trammel heads and plier wrench. Dept. of the Army Supply Catalog SC 5180-95-N19

Need another catalog?  
Call 1-800-325-8027

\* Welder's Tool Kit



This kit contains the necessary components and hand tools required for its intended use by welders. The kit includes the following items and is IAW Army Supply Catalog SC 5180-95-N39.

Welder's tool kit includes; hacksaw blade and frame, scratch wire brush, 2 cold chisels, plier clamp, marking crayon, 3 American pattern files, friction-igniters, leather gloves, industrial goggles and lenses (clear and Shade #6), machinist's hammer, welder's chipping hammer, wood file handle, padlock, slip-joint pliers, aligning and center solid punches, 16' measuring tape, flat-tip screwdriver, machinist's scriber, combination square and adjustable open-end, box and fixed open-end wrenches and pliers. Dated parts list included. Portable toolbox measures 21 x 8-1/2 x 7-3/8".


Welder's Tool Kit includes the following:

Qty	Set Components	Replacement NSN
		5110-00-277-4591
2	Plater's steel wire brush	7920-00-289-1259
		5110-00-186-7107
1	3/4" wide hand cold chisel	5110-00-236-3272
		5120-00-484-1895
1 GR	5" soapstone marking crayon	7510-00-223-6708
		5110-00-234-6538
1	12" bastard-cut American pattern mill hand file	5110-00-242-5386
		5110-00-234-6557
2 BX	Friction igniter flint tip	5120-00-965-0603
		5110-00-289-9657
1	Large leather welder's gloves	8415-00-268-7859
		4240-00-203-3804
1	Industrial marking goggles	4240-00-652-3776
		5120-00-240-3086
1	16-oz machinist's ball peen hammer	5120-00-061-8543
		5120-00-061-8546
1	Wooden file handle	5110-00-263-0341
		5120-00-965-0326
1 PR	Clear industrial goggle lenses	4240-00-262-7091
		4240-00-262-7099
1	Keyed padlock	5340-00-682-1508

Qty	Set Components	Replacement NSN
1	10" straight jaw combination wrench	5120-00-238-0448
1	3/16 x 8" aligning punch	5120-00-237-6985
1	4" solid center punch	5120-00-237-6985
1	8 x 3/8" flat-tip screwdriver	5120-00-237-6985
1	Machinist's scriber	5120-00-237-6985
1	12" blade combination square and miter head	5210-00-078-8948
1	16" auto-wind self-retracting measuring tape	5120-00-166-2920
1	8-1/2" wide x 7-3/8" height x 21" length portable tool box	5140-00-498-8772
1	9-piece combination wrench set	5120-00-228-7310
	Wrench set contains:	
1	5/16" combination wrench	5120-00-228-9503
1	11/32" combination wrench	5120-00-228-9504
1	3/8" combination wrench	5120-00-228-9504
1	7/16" combination wrench	5120-00-228-9505
1	1/2" combination wrench	5120-00-228-9506
1	9/16" combination wrench	5120-00-228-9507
1	5/8" combination wrench	5120-00-228-9508
1	11/16" combination wrench	5120-00-228-9509
1	3/4" combination wrench	5120-00-228-9510
1	12" open-end adjustable wrench	5120-00-264-3796
1	8" open-end adjustable wrench	5120-00-240-5328
1	8-1/2" curved jaw plier wrench	5120-00-494-1911
1	8-1/2" straight jaw plier wrench	5120-00-277-4244

Do you have a question about billing? Contact our Kansas City Finance Office at: (816) 926-7037 or DSN: 465-7037

**Mechanic's Tool Chest \***




Tools stay organized in this steel chest. Consists of top cover with an attached front panel, partitioned till in top compartment, tote tray and integral lock. Has 6 drawers: 3 full width and a top row of 3 one-third width, with a chest-type handle at each end. Welded construction. Box is 20-gauge steel, drawers and tote tray are 22-gauge steel and compartment partitions are 24-gauge steel.





Convenient. Mount sheet steel chest on either a workbench or mobile tool cabinet. Features heavy-duty handles at each end. Nine drawers are mounted on compound slides. Top compartment is 30" long, 14-1/4" wide and 2-7/16" deep and is divided into three sections, with one section storing a 7-1/2"-wide and 19"-long tote tray. Six drawers are 6" wide and 13" deep and are positioned three across on each of the two uppermost levels. Three lower drawers are 27-1/2" wide and 13" deep. Bottom drawer is 3-1/2" high and the other eight drawers are 1-5/8" high. Enamel or epoxy plastic finish.

**Tool Chest**

Hip roof-style steel chest has a top compartment with a till and a removable tote tray; two drawers mounted on compound slides held by the front panel cover; and three handles, one on top of the box and one on each side. Drawers are 19-3/4" long, 7-3/4" wide, 1-1/2" and 3" deep. Hasp-and-staple closure and an enamel finish.



Steel box has a top-opening hinged lid, hasp-and-staple closure and a carrying handle on each end. Army Ordnance Corps Dwg 6534198.




Pioneer's painted plywood chest has a hinged lid, two handles, a bail, cover pulls and a separate locking device.

Has five compartments. Corps of Engineers Dwg D-2447-1.

Has four compartments. Corps of Engineers Dwgs D-2448-1, D-2448-2, and D-2448-3.

Five-drawer chest has a handle on each side, three adjustable drawer dividers and two keys. Top drawer activates an integral lock for locking drawers. Top four drawers are 1-3/4" high and bottom drawer is 3-13/16" high. Corrosion-resistant steel.

**Carpenter's Tool Chest**




Store tools neatly with this wooden chest. Has a hinged lid with a hasp-staple closure and one removable tray and two spring-loaded, metal handles. CID A-A-50537.

**Machinist's Tool Chest**




Transport and store tools with this sturdy storage chest. Consists of box body and lid, top compartment with till drawers, front panel, handle and hardware. Has a continuous piano-type hinge and sturdy compound drawer slides. Front panel is stored under the bottom drawer. Chest-type handle is centered on top of the box. Top compartment and drawers are lined with cork, felt or a similar material. Has an integral lock and two luggage-type catches. Made of sheet steel with welded construction.

Has 3 drawers. 2 compartmented drawers.



Use all 18 compartments of this tool chest for permanent storage of tools and equipment sets. Made of 1/2"-thick plywood with a painted finish.

Has a hinged lid with a restraining chain, steel bindings and hardware, two handles and separate locking facilities. Corps of Engineers Dwg D-9151-1 and support drawings, A-A-55822.



Has 7 drawers. 6 compartmented drawers.




**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**


**LINE ITEM #62  
MOBILE TOOLBOX**

**Mobile Tool Cabinet**




Mobile steel cabinet stores and transports power and nonpower hand tools. Has welded construction, a baked enamel finish, a lock with two keys and a continuous piano-type hinge. Drawers are mounted on durable compound slides and have suitable pulls and dividers.


Has four drawers and a lower storage compartment and is mounted on two locking swivel and two nonlocking fixed casters w/brakes measuring 4" diameter. Includes integral lock for drawers and compartment. A-A-2861.




Has five drawers and a lower storage compartment and is mounted on two locking swivel and two nonlocking fixed casters measuring 4" diameter. Integral lock is included. A-A-2861.




Has three drawers and a lower compartment, two fixed wheels and two swivel wheels, two handles and a tumbler lock. Fixed wheels are 10" in diameter and 2" wide with rubber tires and ball bearings. Lock-type swivel wheels are 4" in diameter. A-A-2860.



Has seven drawers and four castor wheels. A-A-2861.



Two-wheeled, tilt-to-roll cabinet has two doors, three enclosed drawers and an adjustable, covered handle. Wheels are 10" diameter and 2" wide with rubber tires and ball bearings. Has a 1000 cu in. capacity. A-A-2860 and A-A-2861.



Has eight drawers, a lower compartment and four castor wheels. With an electrical junction box. A-A-2861.

To submit an order by mail, please send it to:  
**GSA, Customer Supply Center, National Processing Center**  
**8400 Tatum Road Palmetto, GA 30268**

Al  
 Tr  
 ma  
 hit  
 do  
 all  
 up  
 Na  
 1.  
 Na  
 2.  
 Al  
 Tr  
 an  
 cat  
 pla  
 ha  
 leg  
 SS.  
 Ba  
 Ta  
 fr  
 var  
 co  
 sh  
 ha  
 str  
 Fl  
 pa  
 ses  
 ho  
 ter  
 tap  
 en  
 all  
 w  
 pa  
 ed  
 inc

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #63  
WEAPONS CLEANING MACHINES**

<u>Line #</u>	<u>QTY</u>	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
63	38	Weapons cleaning machines	Safety Kleen	Facility	\$140.69	\$5,346.22	24 1/4" x 35 3/4" x 35 3/8"	Mod. 34 w/all fluids and service support for HAZMAT removal

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #64  
30 GAL. CONTAINER**

## About Drums and Pails


## Hazardous-Material Drums

### Hazardous-Material Salvage/Overpack Drums

STEEL DRUM



POLYETHYLENE DRUMS



In addition to providing safe and reliable secondary containment, these drums can be used to temporarily store and transport damaged and leaking containers of hazardous materials. They're available in steel and corrosion-resistant polyethylene.

All of these open-head drums are hazard yellow with red covers. The covers are secured by a nut-and-bolt-style closing ring. A "Salvage Drum" logo is printed in English, Spanish, French, German, and Japanese.

Drums come furnished with rubber gaskets. The interiors are coated with rust inhibitor. Also Available: Replacement covers, closing rings, and gaskets. Please specify drum part number and replacement part required.

Cap., gal.	Overpacks Drum Size	Inside Dia.	Inside Ht.	Gauge, Top/Body/Bottom	Specifications Met	Each
110	85 gal.	30"	41"	18/18/18	UN1A2/Y408/S	4482T23 ... \$262.75
96	55 gal.	26"	41"	18/18/18	UN1A2/X440/S	4482T24 ... 135.27
85	55 gal.	26"	37"	18/18/18	UN1A2/X440/S	4482T25 ... 115.33
85	55 gal.	26"	37"	18/18/18	UN1A2/X440/S	4482T26 ... 125.71
55	30, 20 gal.	22 1/2"	33"	16/18/16	UN1A2/X430/S	UN1A2/Y1.5/200 ... 4482T16 ... 75.41
30	15, 8 gal.	18 1/4"	27 1/2"	18/18/18	UN1A2/X150/S	UN1A2/Y1.5/150 ... 4482T28 ... 68.08
20	8, 5 gal.	18 1/4"	20 1/4"	18/18/18	UN1A2/X114/S	UN1A2/Y1.5/100 ... 4482T29 ... 55.15
10	5 gal.	13 3/4"	17"	20/20/20	UN1A2/Y43/S	4482T47 ... 60.71
8	1 gal., 1 qt.	13 3/4"	14"	20/20/20	UN1A2/Y42/S	4482T31 ... 45.71

Coated with corrosion-resistant epoxy phenolic lining.

Corrosion-resistant polyethylene construction makes these drums suitable for use with a broad range of materials, including many acids and corrosives. They're nestable for space savings when not in use.

85-gal. drum has a twist-on threaded cover. Color is yellow. 85-gal. drum is ultraviolet stabilized. A nut-and-bolt-style closing ring secures the double-wall cover to the drum. When stacked, covers and drum bases interlock for stability. To help prevent leakage, this

drum has a neoprene gasket. Color is yellow.

20-gal. drum is the perfect overpack for bottles, cans, and 5-gal. pails, as well as bagged infectious waste. It can be used for direct containment of solids and sludges. Inside packaging must be surrounded by a compatible sorbent capable of absorbing the total liquid contents. Twist-on threaded cover provides secure closure. Furnished with 2-mil. plastic liner. Color is cream.

Cap., gal.	Overpacks Drum Size	Inside Dia.	Inside Ht.	Specifications Met	Each
95	55 gal.	24 1/4"	37"	UN1H2/X235/S	4059T33 ... \$168.67
85	55 gal.	26 1/4"	38"	UN1H2/Y454/S	41565T11 ... 162.28
20	5 gal.	19 1/4"	17"	UN1H2/X38/S	9858T52 ... 39.47

## Storage & Shipping Drums

### Polyethylene Drums with Handles



Two-Handle Drum

It's easy to move one of these drums—simply grab hold of the handle. All are made of lightweight polyethylene and can be used with food products as well as many corrosives. They have closed (also known as tight) heads and are seamless, which means they won't leak.

One-handle drum has one 2" NPT bung opening, as well as one 1/4" diameter air vent. Color is translucent white.

Two-handle drum has two bung openings: one 2" NPT and one 2" buttress thread. Also Available: Replacement covers, closing rings, and gaskets. Please specify color.

Cap., gal.	Outside Dia.	Outside Ht.	Specifications Met	Each
<b>One-Handle Drum</b>				
15	14 1/4"	26 1/4"	UN1H1/Y1.8/100	4119T8 ... \$19.12
<b>Two-Handle Drum</b>				
15	18"	20 1/4"	UN1H1/Y1.8/100	4119T5 ... 24.85


**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #66  
SECURE CABINET**

# Full-Height Storage Cabinets

## Compartmented Storage Cabinets




Separate, lockable compartments store equipment and supplies for different shifts or departments. You can use a padlock (not included) with all cabinets for added security. Cabinets are shipped assembled and ready for use. All have a gray enamel finish.

**A Heavy duty two-compartment cabinet** is actually two 16-ga. steel cabinets you can stack, place side-by-side, or use back-to-back for maximum versatility. Doors have a keyed handle as well as a hasp so you can add a padlock with a  $\frac{1}{4}$ " or smaller shackle dia. Includes two keys. Top cabinet is 34" high in back with a sloped top; bottom cabinet is 30" high. Fixed shelves are 16-ga. steel. **Heavy duty three-compartment cabinet** is 14-ga. steel. Each door has a pull handle and a hasp that accepts a  $\frac{1}{4}$ " or smaller padlock shackle.

**B Extra-heavy-duty cabinets** have tough, 12-ga. steel construction and 14-ga. shelves (adjustable in 2" increments). Each door has its own 3-point latching system and a hasp that accepts a padlock with a  $\frac{1}{4}$ " or smaller shackle dia. Need extra stability? Each cabinet has 5" high, 7-ga. steel legs you can bolt to the floor.

No. of Compartments	Overall Size			No. of Shelves	Cabinets		Extra Shelves	
	Wd.	Dp.	Ht.		Each	Each	Each	Each
<b>(A) Heavy Duty Cabinets</b>								
2	21 $\frac{1}{2}$ "	16 $\frac{1}{2}$ "	84"	6 (3 per compartment)	5125T12	\$371.22		
3	24"	24"	74"		5107T12	443.32		
<b>(B) Extra-Heavy-Duty Cabinets</b>								
2	38"	24"	78"	6 (4 per compartment)	45975T4	752.54	45975T11	\$27.12
2	48"	24"	66"	6 (3 per compartment)	45975T1	860.00	45975T12	30.51
2	48"	24"	78"	6 (4 per compartment)	45975T2	899.47	45975T12	30.51
2	60"	24"	78"	8 (4 per compartment)	45975T3	922.19	45975T13	\$2.20
2	72"	24"	78"	8 (4 per compartment)	45975T5	937.22	45975T14	35.59
4	48"	24"	78"	3 (3 in two compartments; 1 in two compartments)	29395T22	937.72	45975T12	30.51
4	60"	24"	78"	3 (3 in two compartments; 1 in two compartments)	29395T23	1091.23	45975T13	\$2.20
4	72"	24"	78"	3 (3 in two compartments; 1 in two compartments)	29395T24	1175.00	45975T14	35.59

## Pry-Proof Extra-Heavy-Duty Storage Cabinets




Double dead bolt latching means it's virtually impossible to pry these cabinets open. Combine that with a 10-ga.,  $\frac{1}{2}$ "-thick steel-plate cabinet body, and you know your equipment is safe. Doors are furnished with continuous hinges and have  $\frac{3}{4}$ "-thick forged steel handles with  $\frac{1}{4}$ " hole for padlock (not included). Each cabinet has lifting lugs on top. Overall size of cabinets is 48" Wd. x 18 $\frac{1}{2}$ " Dp. x 52" Ht. Welded and shipped assembled. Gray enamel finish.

**3-shelf cabinet** has sturdy, 7-ga. fixed shelves.  
**11-shelf cabinet** has three 7-ga. main shelves. Shelves in doors are 14 ga. with a 1" front lip. All shelves are fixed.

	Each
3-shelf Cabinet	46085T11... \$1187.50
11-shelf Cabinet	46085T12... 1333.05

## Slimline Storage Cabinets



Slim these cabinets into narrow places to get the most out of those extra nooks and crannies. Cabinets have four shelves (except where noted) that you can adjust on 2" centers. Baked enamel finish.

**Single- and double-door cabinets** have 24-ga. sides, back, door, and shelves; 20-ga. top header and bottom shelf. Single-door cabinet has 1-point latch lock, double-door has 3-point latch lock. Both are supplied with two keys. Color is beige.

**Single-door security cabinet** has two key-coded antidrill locks to safeguard supplies. Made of 16-ga. steel, it has a recessed, full-length piano hinge on the door for smooth opening and closing. Includes hardware for securing it to a wall or other solid surface. Color is brown.

Wd.	Overall Size		Cabinets	Extra Shelves		
	Dp.	Ht.		Each	Each	
<b>Single-Door Cabinets—Shipped Unassembled</b>						
18"	18"	42"	4451T51	\$75.85	4451T55	\$6.18
18"	18"	55"	4451T52	88.90	4451T55	8.18
<b>Double-Door Cabinet—Shipped Unassembled</b>						
30"	15"	65"	4451T53	\$110.43	4451T54	\$6.82
<b>Single-Door Security Cabinet—Shipped Assembled</b>						
21"	10"	55"	5103T21	\$179.81	5103T25	\$33.33

♦ Has two shelves.

SOF Weapons Training Facility  
Fort Bragg, North Carolina

DACA21-03-R-0024

**LINE ITEM #68  
REFINISHING TANK**

<u>Line #</u>	<u>QTY</u>	<u>Nomenclature</u>	<u>Vendor/Mfr</u>	<u>Function</u>	<u>Cost (1ea)</u>	<u>Est Total Cost Per Line</u>	<u>Dimension WxLxH</u>	<u>Remarks</u>
68	1	Refinishing tank	custom	Refinishing Shop			3' x 6' x 3'	drain plug 2" off bottom, on legs/stand

**SOF Weapons Training Facility  
Fort Bragg, North Carolina**

**DACA21-03-R-0024**

**LINE ITEM #69  
OVERHEAD HOIST**



## 1 Ton Electric Hoist

### Features

Single speed electric hoist. 115/230V electric hoist with safety hooks and chain container. U.S.A.

- JET
- 10' Lift
- 8' Control cord

**Ships from Manufacturer**

**Delivery Time: 10-14 Business Days**

Ship Wt. 142.00 lbs.

Item# 14228

**Discount Price... \$1399.99**





Close Window

## **ENLARGED SHOP EQUIPMENT LOCATION PLAN**

(See Contract Drawings)