

## SECTION TABLE OF CONTENTS

## DIVISION 09 - FINISHES

## SECTION 09000

## BUILDING COLOR AND FINISH SCHEDULE

12/95

## PART 1 GENERAL

- 1.1 SUMMARY
- 1.2 REFERENCES TO MANUFACTURERS AND PRODUCTS
- 1.3 ABBREVIATIONS: MANUFACTURERS AND MATERIALS
- 1.4 EXTERIOR COLOR/FINISH INSTRUCTIONS
  - 1.4.1 Bollard Guards
  - 1.4.2 Doors and Frames
  - 1.4.3 Glazing
  - 1.4.4 Handrails
  - 1.4.5 Sheet Metalwork
    - 1.4.5.1 Coping
    - 1.4.5.2 Louvers
- 1.5 INTERIOR COLOR/FINISH INSTRUCTIONS
  - 1.5.1 Cabinets
  - 1.5.2 Ceramic Tile Grout
  - 1.5.3 Doors
    - 1.5.3.1 Steel doors shall be painted P-2.
    - 1.5.3.2 Wood Flush and raised panel Doors, in the Joint Ops Facility shall be stained ST-1. Wood doors in the remainder of the buildings shall be finished natural to match the existing surrounding doors.
  - 1.5.4 Door Hardware
  - 1.5.5 Elevators
    - 1.5.5.1 Metal Parts
    - 1.5.5.2 Handrails
    - 1.5.5.3 Wall Panels
    - 1.5.5.4 Floor
    - 1.5.5.5 Ceiling
  - 1.5.6 Folding Partitions
  - 1.5.7 Handrails
  - 1.5.8 HVAC Equipment
    - 1.5.8.1 Grills or Diffusers
  - 1.5.9 Lockers
  - 1.5.10 Mini Blinds
  - 1.5.11 Plastic Laminate
  - 1.5.12 Shelving
  - 1.5.13 Suspended Ceiling Grid
  - 1.5.14 Stairwells
  - 1.5.15 Toilet Partitions
  - 1.5.16 Walls
  - 1.5.17 Window Frames (Interior, Glazing)

## PART 2 PRODUCTS (NOT USED)

PART 3 NOT USED

-- End of Section Table of Contents --

## SECTION 09000

## BUILDING COLOR AND FINISH SCHEDULE

12/95

## PART 1 GENERAL

## 1.1 SUMMARY

This section covers colors, patterns, and textures of exterior and interior floor, wall, ceiling, and equipment finish materials.

## 1.2 REFERENCES TO MANUFACTURERS AND PRODUCTS

The manufacturer's names and their products referenced in this section only indicate the color, texture, and pattern required for the materials listed. The products furnished shall meet the color, texture, and pattern indicated as well as the material quality and performance specified in the applicable technical sections. The use of manufacturer's names and products do not preclude the use of other manufacturer's products of approved equal color, texture, or pattern as long as all requirements are met. For Fitness Center and building 3-2245, match the new finish materials and colors to the existing finish materials and colors.

## 1.3 ABBREVIATIONS: MANUFACTURERS AND MATERIALS

<u>Abbrev.</u>	<u>Material</u>	<u>Manufacturer</u>	<u>Mfgr's No/Color</u>	<u>Location</u>
Acoust-1	Acoustical Ceiling	Fed. STD.	27886	See Fin. Sch.
Acoust-2	Acoustical Ceiling	Fed. STD.	27886	See Fin. Sch.
*4 C-1 Sch.	Carpet	Lees	DL4563-00808	See Fin.
*4 C-2 Sch.	Carpet	Lees	Combo C-1/C-23	See Fin.
*4 C-3 Fin. Sch.	Carpet	Lees	DR4657203-004327	See
AF-1	Athletic Flooring	Pawling	HL-175-559	See Fin. Sch.
AF-2	Athletic Flooring	Pawling	HL-175-557	See Fin. Sch.
CT-1	Ceramic Tile	Daltile	D336	Male/Female Flr
CT-2	Ceramic Tile	Daltile	D182	Male/Female Base
*5 <del>CT-3</del>	<del>Ceramic Tile</del>	<del>Daltile</del>	<del>D182</del>	<del>Male/Female Wall</del>
CT-4	Ceramic Tile	Daltile	X114	Male/Female Wall
*5 <del>CT-5</del>	<del>Ceramic Tile</del>	<del>Daltile</del>	<del>DM14</del>	<del>Male/Female Wall</del>
CT-6	Ceramic Tile	Daltile	D174	Generals Floor
FP-1	Folding Partition	Modernfold	Bisque (SD)	

GRT-1	Floor Grout	Laticrete	42	Male/Female/G Flr
GRT-2	Wall Grout	Laticrete	88	Male/Female Walls
	Mini-Blinds		Alabaster	See Plans
P-1	Paint	Fed. Std.	37925	Walls
P-2	Paint	Fed. Std.	20091	Frames & Exp. Met
SP-1		Wilson Art	4758-60	Tlt & Ur Screens
SP-2		Corian	Sandstone	Generals Ctrtop.
PL-1	Plastic Laminate	Wilson Art	4758-60	M/F Countertop
PL-2	Plastic Laminate	Wilson Art	4577-07	Breakrm. Ctrtop.
DC-1		Amer Olean	PD02	Foyer Head Tile
DC-2		Amer Olean	PD03	Foyer Border Tile
RB-1	Resilient Base	Roppe	177	Base & Treads
VCT-1	Vinyl Comp.	Armstrong	51803	See Fin. Sch.
VCT-2	Vinyl Wall Covering	C/S-Acrovan	27-765	See Fin. Sch.
ST-1	Wood Stain	Minwax	225	Wd Doors & Panels

#### 1.4 EXTERIOR COLOR/FINISH INSTRUCTIONS

##### 1.4.1 Bollard Guards

Bollard Guards shall be painted P-2.

##### 1.4.2 Doors and Frames

Steel: Painted, color - P-2.

##### 1.4.3 Glazing

Glazing is specified in Section 08810 GLASS AND GLAZING.

##### 1.4.4 Handrails

Handrails shall be painted, color P-2.

##### 1.4.5 Sheet Metalwork

###### 1.4.5.1 Coping

Color finish to match Hickman med. brown.

###### 1.4.5.2 Louvers

Louvers shall be clean anodized.

## 1.5 INTERIOR COLOR/FINISH INSTRUCTIONS

## 1.5.1 Cabinets

Cabinets shall be a ST-1 finish.

## 1.5.2 Ceramic Tile Grout

In men's and women's toilets, GRT-1 for floors, GRT-2 for walls.

## 1.5.3 Doors

1.5.3.1 Steel doors shall be painted P-2.

\*4

1.5.3.2 Wood Flush and raised panel Doors, in the Joint Ops Facility shall be stained ST-1. Wood doors in the remainder of the buildings shall be finished natural to match the existing surrounding doors.

## 1.5.4 Door Hardware

Door hardware finish is specified in Section 08702 BUILDERS' HARDWARE.

## 1.5.5 Elevators

## 1.5.5.1 Metal Parts

Metal parts shall be Polished Bronze.

## 1.5.5.2 Handrails

Handrails shall be Polished Bronze.

## 1.5.5.3 Wall Panels

Wall panels shall be ST-1.

## 1.5.5.4 Floor

Floor shall be C-3.

## 1.5.5.5 Ceiling

Ceiling shall be polished bronze.

## 1.5.6 Folding Partitions

## 1.5.7 Handrails

Handrails shall be painted P-2.

## 1.5.8 HVAC Equipment

## 1.5.8.1 Grills or Diffusers

Paint all supply and return air mechanical grills or diffusers on gypsum board ceiling and walls to match adjacent color.

1.5.9 Lockers

Lockers shall match CT-4.

1.5.10 Mini Blinds

Mini blinds shall match Alabaster.

1.5.11 Plastic Laminate

Counters in M/F shall match PL-1.

Counters in Breakroom shall match PL-2.

Counters in Generals bathroom shall match SP-2.

1.5.12 Shelving

Interior shelving shall match adjacent wall.

1.5.13 Suspended Ceiling Grid

Suspended Ceiling Grid shall match ceiling tiles in manufacturer's standard finish and shall be a narrow 1" grid to match Acoust 1 & 2 exposed tee system.

1.5.14 Stairwells

Ceilings in stairwells shall match Acoust 1.

1.5.15 Toilet Partitions

Toilet Partitions shall match SP-1.

1.5.16 Walls

All interior walls of gypsum board shall be painted to match P-1, unless otherwise indicated.

1.5.17 Window Frames (Interior, Glazing)

Steel, Painted to match P-2.

PART 2 PRODUCTS (NOT USED)

PART 3 NOT USED

-- End of Section --